

&KURO™
BLACKOUT SYSTEM



&KURO™

BLACKOUT SYSTEM

When you need superior light exclusion, a roller blind with blackout fabric alone is not enough. You need Kuro.

OVERVIEW

- Simple and robust blackout system
- 12 year warranty
- Sizes up to 4m wide, 3.6m drop, 14m²
- Includes headbox and side channels



SYSTEM DETAILS

Kuro is a blackout blind system featuring extruded aluminium headbox and side channels which completely enclose the roller blind within. The aluminium profiles are powder coated in white or black as standard, or any other RAL colour to order.

Sturdy steel legs connect the headbox and side channels to create a rigid frame. Universal profiles allow the frame to be fixed through the face, sides or top as required, and all fixings are completely concealed.

USES & APPLICATIONS

When you need superior light exclusion, you need a fully cassetted blind, with headbox and side channels to prevent light penetration around the perimeter of the blind.

Kuro blinds are simple and fast to install and are robustly built to meet the demands of high usage. Clean lines and a high-quality finish, with all fixings concealed, give a fully-fitted look to any roller blind – not only blackout.

Using the same controls as our Helios system, Kuro can be motorised or operated manually via chain or crank handle. With a wide choice of control options, operating a Kuro blind is always a pleasure.




TECHNOLOGY & DESIGN



ROLLER SHADE FEATURES

MAX SIZE
14m²




SIDE CHANNELS

- 56mm wide channel
- Incorporated brush seals for light exclusion
- Fixings concealed within channels




HEADBOX

- Headbox 80mm (H) x 77.5mm (D) or 100mm (H) x 92.5mm (D)
- Connects to side channels with sturdy steel legs
- Strong 'goalpost' frame for easy



FASCIA REMOVABLE WITHIN 80MM OR 100MM

- Enables fitting within slim recess
- Ideal for install in a ceiling pocket
- Blinds can be accessed for maintenance



CONTROL OPTIONS

- Metal Chain
- Crank handle with reduction gear
- 240V motorised
- Low Voltage or battery motorised




MOTORISATION CONTROLS

- Hardwired Switch
- Radio remote control
- Digital and IP communication
- Integration and control systems




FABRIC OPTIONS


- Sunscreen fabric for glare control with views out
- Dimout fabrics for light filtering and privacy
- Blackout fabrics for room darkening
- Reflective and film fabrics for specialist applications



SYSTEM SPECIFICATION



Kuro side channel dimensions



UMBRA®YOU

SELECT YOUR SYSTEM


See Systems Overview brochure for more information

ROOFLIGHT SYSTEMS

BLACKOUT SYSTEMS →

SQUARE AREA

18m²




® KUROLOK™
TWIN RL

9m²



® KUROLOK™
RL

4m²



® HELIOS™
RL

24m²



® KUROLOK™

BLACKOUT SYSTEMS

ROLLER SHADES →

14m²



® KURO™

LARGE

16m²



® HELIOS™

MEDIUM

6m²



® SIRIOS™


SMALL

3m²



® ORBIS™

SELECT YOUR FABRIC



VIEW OUR RANGE
OF FABRICS ONLINE

www.umbrashading.co.uk/products-services/blind-fabrics

FIND OUT MORE

FOR MORE SYSTEM INFO AND AUTOMATION
OPTIONS VISIT

www.umbrashading.co.uk/tools/product-selector-guide

In line with our policy of continuous product development, we reserve the right to alter specifications without notice.

UMBRA®

01792 562015

sales@umbrashading.co.uk

www.umbrashading.co.uk