

# Umbra Cascade™ Technical Specification Document

Motorised Roman Blind Headrail Guide



UMBRA®

01792 562015

[sales@umbrashading.co.uk](mailto:sales@umbrashading.co.uk)  
[www.umbrashading.co.uk](http://www.umbrashading.co.uk)

Copyright @ Umbra 2022

## Number of cord spools & fixing brackets

Headrail Size (mm)	No. of Cord Spools
Up to 699mm	2
700m - 1099mm	3
1100mm - 1399mm	4
1400mm - 1699mm	5
1700mm - 2099mm	6
2100mm - 2399mm	7
2400mm - 2699mm	8
2700mm - 3099mm	9
3100mm - 3399mm	10
3400mm - 3699mm	11
3700mm - 4000mm	12

Headrail Size (mm)	No. of Fixing Brackets
Up to 999mm	2
1000mm - 1599mm	3
1600mm - 2099mm	4
2100mm - 2599mm	5
2600mm - 3099mm	6
3100mm - 3599mm	7
3600mm - 4000mm	8

## Motor comparison table

Motor	Power options	Control options	Max. blind weight
Somfy Sonesse 40 3/30	230v	Radio, Hardwired	13kg
Somfy Sonesse 40 6/20	230v	Radio, Hardwired	26kg
Somfy Sonesse 30 ULTRA 2/20	Battery	Radio	8kg
Somfy Sonesse 28 WF	Battery	Radio	4kg
Vestamatic 35Q 6Nm/28rpm	230v	Radio, Hardwired, SMI	26kg
Nice SI 332	24v, 230v	Radio, Hardwired, Dry contact	13kg
Nice SI 620	24v, 230v	Radio, Hardwired, Dry contact	26kg

## Headrail & Bracket Dimensions

